



# DECOTRON® 250

**Water-based cleaning fluid determined to remove residues of a solder paste from printing stencils, PCBs misprints and squeegees.**

Ready-mix, intended for direct use.

Effective for all types of solder pastes and most types of SMT adhesives.

Intended for use in all types of cleaning machines, mainly in the high-pressure spray-in-air cleaning machines.

### Recommended areas for use

### Recommended cleaning technology

**1. Solder paste (unsoldered)**

High-pressure spray-in-air

### Process table

Cleaning technology	Cleaning	1. rinse	2. rinse	Drying
<b>High-pressure spray-in-air</b>	<b>Decotron® 250</b>	<b>X</b>	<b>DI water</b>	<b>Hot air</b>

### Product information

- Recommended for use in systems with closed cleaning processes and mechanical filtration
- pH neutral fluid, rinse in not needed, only recommended
- Eliminates potential foaming of DI water during the rinsing process of the cleaning machine
- High compatibility with material and components of the cleaning devices
- Environment-friendly, biodegradable
- Tenzide-free, no solid residues on the cleaned surface
- No flash point, can be heated to increase the cleaning efficiency

### Table of physical and chemical properties

Product appearance:	two-phase liquid
Colour:	colourless / white
Odour:	none
pH value:	7
VOC content:	32 %
Recommended process temperature:	20-45 °C
Flash point:	non-flammable
Density at 20 °C:	0,98 kg/l



### Technical support

For process implementation and setting, optimization and solving of process issues, trial test, contact your DCT specialist at [www.dct.cleaning](http://www.dct.cleaning)



Date of issue:  
**02. 03. 2020**

Check SDS prior to use.  
Check material compatibility in case of contact with sensitive materials susceptible to chemical stress.

Decotron® is a registration trademark of DCT Czech s.r.o.



# DECOTRON<sup>®</sup> 250

## General information



### Packing

25 litres



### Transport

UN number: No

Transport hazard class: No



### Handling

Wear nitrile gloves while manipulating with cleaning agent.

It is necessary to stir well the can before use.



### Storage

Should be stored in closed containers, in ventilated areas

At temperature 5 – 25 °C



### Shelf life:

The minimum shelf life for this product is 5 years.

## Product features

RoHS and REACH compliant, biodegradable, does not contain any halogenated compounds.



RoHS  
Compliant



REACH  
SVHC



BIODEGRADABLE



We are certified as part of a worldwide quality management system by **LLOYD'S**.

Date of issue:

02. 03. 2020

Check SDS prior to use.

Check material compatibility in case of contact with sensitive materials susceptible to chemical stress.

Decotron<sup>®</sup> is a registration trademark

of DCT Czech s.r.o.